

## **SUBMITTAL SHEET**

## **GREENFUSION®** Adhesive

OMNIFLX GREENFUSION® Adhesive, SN-674 PRODUCT NAME 1 OMNIFLX GREENFUSION<sup>®</sup> is a fusion bond drywall adhesive for PVC 2. PRODUCT DESCRIPTION drywall trims and other multipurpose uses. Fast-acting, 2-5 minutes clamp time and fusion bond of 30-45 minutes. 3. BASIC USE Connects surfaces to be bonded within 120 seconds of applying GREENFUSION<sup>®</sup>. Excellent for use with drywall and PVC drywall trims. Excellent for use with many other bonding applications. Produces solvent weld in 30-45 minutes. DIRECTIONS FOR USE Apply Bead Flow: 1/8" Z-pattern recommended. Caution: Do not 4. apply heavily. Always test with materials before use to prove it is right for your application. CONDITIONS: Keep and use above 55° F. Use in well-ventilated area. Keep away from flames. Keep out of reach of children. Aqua Blue Liquid (Med. Body/Med. Set) 5. PRODUCT DATA Form: Single component Type: Odor: No odor after curing Specific Gravity: (H20=1):0.87 Flash Point: 1xF Method Used TCC 50°-100° F (10°-38°C) Apply at: Layer Thickness: 1/8" (.125) Clamp Time: 2 - 5 minutes

Fusion Bond:

Weight (wet):

Container Size:

Coverage:

30 - 45 minutes

10 oz.

80 LF/10 oz. @ 1/8" thick

10 oz. Standard Caulk Tube

SUBMITTAL APPROVALS

Job Name:				
Contractor:			Date:	
	Additional Information This document is a product submittal. For complete infor- mation regarding GREENFUSION® Adhesive, please refer to GREEN- FUSION® MSDS Sheet found at www.omniflx.com. Non-Warranty Information contained herein is based on tests believed to be reliable and accurate. It is offered in good faith for the benefit of the consumer. The Company shall	not be liable for any injury, loss, or damage in the use of any and all of its products since the conditions of use are beyond our control. In every case we urge and recommend the user conduct tests to determine to their own satisfaction that the product is of acceptable quality and is suitable for their particular purpose under their own operating conditions. Statements concerning the possible use of our products are not intended as recommenda-		tions to use our products in the infringement of any patent. These products are for various applications wherein they work based on the determination and testing of any and all users. <b>Trademarks</b> GREENFUSION <sup>®</sup> is a trademark of OMNIFLX Profiles, Inc.